

FLEXI SEATING SYSTEMS PVT LTD



Is A well known Furniture Manufacturing Company in Eastern India with 13 years experience in pan India supply, specialized to make furniture either in Indian Or in European style. It gives you the highest quality assurance to each of its product.

At “**Flexi Seating System Pvt. Ltd**”, we are committed to provide our customers with best in business office furniture, school furniture, recliners, working & Interior products & serve them through commitment, concern, care & Quality for “**Total Customer Satisfaction**”.

A part from direct customers, influencing professional groups like the leading architects and interior designers have appreciated, recommended and installed the world class products presented by the “**Flexi Seating System**”.

We also indulge ourselves in servicing our clients by doing Repairing Works and AMC to their office furniture. For further information we would request you to take some time out of your hectic schedule to go through the enclosed files or you can visit our website www.flexi.co.in

AUDITORIUM SEATING





...Brilliantly Engineered in Ergonomic Shape







= RC - TP (EX)



▲▲ Epoxy powder coated paint for all steel parts. ▲▲



= RC - TP (PR)

Maximum lumbar support for fatigue-free healthy seating.



= RC - TP (WP)





▲▲ Chairs installed to the floor
with expanded anchor fasteners. ▲▲



= RC - PB (WP)

▲▲ Maintenance free Synchronized push-back system,
with seamless seat supporting tray. ▲▲



= RC - TP (JUPITER)



JUPITER



OUR PROJECTS



= AUDITORIUM - 01



= AUDITORIUM- 02



CINEMA THEATRE SOLUTION










◀◀ *Moulded Poly-urethane foam cushioned seat back.* ▶▶



≡ RC - PB (PDX)

X - VISION INNER LOOK





QUALITY CERTIFICATE AND PROJECT ANALYSES



KVQA

Certificate of Registration
(Quality Management System)

KVQA CERTIFICATION SERVICES PVT. LTD.

This is to certify that the Quality Management System of

FLEXI SEATING SYSTEMS PVT. LTD.

129, Matheswartala Road, Kolkata-700046, West Bengal, India.

Has been found to be of the Quality Management System Standard

NS-EN ISO 9001:2008/ISO 9001:2008

This certificate is valid for the following product or service range

**Manufacturers Of Auditorium Chairs, Revolving Chairs,
School Furniture, Sofas, Stainless Steel Furniture And
Wooden Furniture.**

1st Surveillance Due On: 13/02/2013 Done On:
2nd Surveillance Due On: 13/02/2014 Done On:

Certificate No: I/QSC-4935
Date Of Issue: 13, March, 2012
Valid Until: 12, March, 2015*

Issued by 
Authorised signatory KVQA



**NORSK
AKKREDITERING
MSY3007**

The certification scope is accredited by the Norsk Akkreditering of Norway with reference to the Parliamentary Proposition on 106 (1989/90) and Norsk Akkreditering's the status laid down in Royal Decree of 7th October 1993

Accredited by a member of IAF's MLA for Quality Systems
E-300, Sector 63, Noida U.T, India Ph.: 0120-4601100 email: kvqa@certum.net.in
*Subject to successful completion of surveillance audits.



Certificate of Registration

(Quality Management System)

KVQA CERTIFICATION SERVICES PVT. LTD.

This is to certify that the Quality Management System of

FLEXI SEATING SYSTEMS

129, Matheswartala Road, Kolkata-700046, West Bengal, India.

Has been found to be of the Quality Management System Standard

NS-EN ISO 9001:2008/ISO 9001:2008

This certificate is valid for the following product or service range

**Manufacturers Of Auditorium Chairs, Revolving Chairs,
School Furniture, Sofas, Stainless Steel Furniture And
Wooden Furniture.**

1st Surveillance Due On: 13/02/2013 Done On:
2nd Surveillance Due On: 13/02/2014 Done On:

Certificate No: I/QSC-4936
Date Of Issue: 13, March, 2012
Valid Until: 12, March, 2015*

Issued by

Authorized signatory KVQA




The certification scope is accredited by the Norsk Akkreditering of Norway with reference to the Parliamentary Proposition on 106 (1989/90) and Norsk Akkreditering's the status laid down in Royal Decree of 7th October 1993

Accredited by a member of IAF's MLA for Quality Systems

F-300, Sector-63, Noida, U.P., India Ph: 0120-4601100 email: kvqa@satyam.net.in

*Subject to successful completion of surveillance audits.



ISO 9001:2000 COMPANY



- ISO 9001-2000 Certified Company
- Chairs made as per International Standards
- Brilliantly engineered in ergonomic shape for maximum lumbar support for healthy seating
- No-Wood-Used
- Eco Friendly –CFC Free
- Acoustically Co-efficient chairs (Certified by NPL New Delhi)

Fabric:

- Fire Retardant
- Fire Retardant
- Anti-Bacteria, Anti-Allergic & Anti-Odor

Naroda, Ahmedabad - 382 330, India. Telephone : + 91 – 79 – 66068888/89
Fax : +91-79-66068555, Email : textile@ril.com, Website : www.riltextile.com

FRESCA Fabric – Promoting Health & Hygiene

We wish to introduce a revolutionary product for the tropical weather in which we live and operate. We have spent time and efforts on finding a cost effective solution to enhance customer comfort, promote hygiene and protect health as far as seating and covering fabric goes.

FRESCA – The revolutionary Anti-Odour, Ever Fresh Fabrics.

Addressing this specific issue, we have created a break-through new range of techno fabric called “FRESCA”.

FRESCA fabrics work on the same principle where the fibre at its very conception is added with silver ions and then drawn into staple yarns. This process makes the yarn “inherently” and “permanently” antimicrobial.

The unique features of such fabrics are:-

- “Permanently” Antibacterial and Anti fungal.
- Anti- Odour - preventing offensive smell creation
- It has higher Ultra Violet (UV) protection arresting staining and degradation of fabric



ISO 9001:2000 COMPANY

- ❖ ISO 9001:2000 Company
- ❖ No wood used
- ❖ Acoustic Co-efficient
- ❖ CFC Free, PU Foam Cushion
- ❖ Epoxy Powder coated paint
- ❖ Fire Retardant -Anti Fungus-Anti Bacteria-Anti Oduor Grade Fabric



Standard (Common) Specification - Cine-Audi Chairs-PUSH BACK & TILTING SEAT TYPES

Size of the chair:

- Center – Centre : 21" -24"
 - Back – Back (Steps) : 36" -39"
 - Total height of the Back From Floor Level : 36" – 42"
-

Back & Seat – Inner Frames

- **Back** - 25mm x 12mm MS Tube frame.
- **Seat** – PPCP Plastic molded Seat Frame.

Seat & Back Polyurethane Molded foam Cushion

- Both Seat & Back Cushioned with 50 Density Non sagging molded Polyurethane foam

Fabric: Seat, Back & Side stand covered with 100% Polyester fabric

- Fire Retardant
- Anti Fungus-
- Anti Bacteria-
- Anti Odor Grade Fabric,
- with zipper for easy removeability.

Fabric Lamination:

- Seat, Back fabric laminated with foam for quilting and polyester lining underneath for extra strength.

Armrest: PPCP Molded arm rest with our without fabric and with our without cup holder.

Accessories: Aisle Light Boxes and seat numbers made with reflective and radium tape.

Paint: All steel work Epoxy powder coated painted in 55 microns.

Back cover: PPCP Molded Back cover

NATIONAL PHYSICAL LABORATORY

New Delhi - 110 012

ACOUSTICS SECTION

**TEST REPORT ON
AUDITORIUM CHAIRS**

Report No..

1050/11/67/94

Date

27-10-94

Page

2

No. of pages

2

Measurements were made by using one-third octave bands of random noise and several decay rates were determined for each of the microphone/loudspeaker position combinations. The sound absorption coefficient was calculated using Sabine's formula after applying correction for air absorption.

The results were :-

<u>Frequency Hz</u>	<u>Sound Absorption Coefficient</u>	<u>NRC</u>
125	0.58	
250	0.86	
500	0.79	
1000	0.67	0.70
2000	0.46	
4000	0.40	

Tested by

[Signature]

[Signature]

TEST REPORT

Format No: 06/26A/00

T.R.No.	328	/TC/SE/LDE//2009-10	Date:	12.10.09
Name and address of Customer	M/s. Om Handloom Fabrics B-1/11, Budh vihar, Ph-I, Delhi -86			
Sample forwarding letter No.& Date	Nil Dt. Nil			
Date of receipt of sample	8.10.09			
Test Performed on	9.10.09			
Buyer Name & Address (Optional)	-----			
Customer Sample No.	Description	Colour	Lab. Sample No.	
-----	Fabric (as per test memo)	-----	CCO-684	
TEST RESULTS				
1	Flammability Test ASTM-D-1230:94(Receivied)	Avg. time of flame spread	Do not ignite Class-I	



SIGNATURE & SEAL OF THE OFFICER

Shilpi
 SHILPI GOYAL
 Assistant Director (Laboratory)



NATIONAL PHYSICAL LABORATORY

New Delhi - 110 012
ACOUSTICS SECTION

TEST REPORT ON
AUDITORIUM CHAIRS

Report No..	Date	Page	No. of pages
1050/11/67/94	27-10-94	1	2

Tested for : M/s. Rana Cine Chairs
14/403, Faiz Road
Karol Bagh, New Delhi - 110 005.

Their Reference No. : Letter No. Nil dated 18-10-1994.

Description and Identification of Item : Upholstered Auditorium Chairs
Seat size : 0.40 m x 0.40 m x 0.15 m
Back size : 0.50m x 0.40m x 0.05m
Manufactured by : M/s. Rana Cine Chairs,
New Delhi - 110 005.

Environmental Conditions : Room Temperature : 24°C
Relative Humidity : 60%

Accuracy of Measurement : ± 5%

Major Equipments Used in the Test :
1) Sine Random Generator
2) Audio Amplifier
3) Band Pass Filter
4) Loudspeaker
5) Microphone
6) Frequency Analyser
7) Level Recorder

RESULT

The auditorium chairs were tested for their sound absorption coefficient by the traditional reverberation chamber method as per IS: 8225-1987 under existing environmental conditions in a reverberation chamber of volume 260 m³, surface area 240 m² and average reverberation time of 6.0 sec. The chamber was of irregular shape and adequate diffusion was obtained by using suspended stationary diffusers. A loudspeaker with uniform spherical radiation was used as the source of sound suspended at a height of 2.5 m above the floor in one corner while the microphone was kept at various locations near the other corners of the room and at least 1m away from any surface.

Tested by

Checked by

Director

Scientist Incharge



ISO 9001:2000 COMPANY



SOME OF OUR VALUABLE CLIENTS



List of Works Done / Works in Hand

Name of Project	Place	Quantity	Status
Rashtrapati Bhawan Cinema Hall	New Delhi	180	Completed
Raj Bhawan-Auditorium	Dehradun	230	Completed
Maharishi Dayanand University	Rohtak	1700	Completed
SRM University	Chennai	3000	Completed
IIT-G-Auditorium	Guwahati	1400	Completed
IIT-G-Lecture Hall	Guwahati	1000	Completed
Srimanta Kalakshetra Bhawan	Guwahati	1600	In Hand
Kalakshetra	Guwahati	254	Completed
SRIFORT Auditorium	New Delhi	2500	In Hand
Lal Bahadur Shastri Institute	New Delhi	262	Completed
Khalsa College	New Delhi	600	Completed
AZAD Bhawan	New Delhi	300	Completed
Dayal Singh College	New Delhi	180	Completed
AMIITY	NOIDA	450	Completed
AMIITY	Gr NOIDA	350	Completed
AMIITY	Gurgaon	300	Completed
AMIITY	Jaipur	400	Completed
Congress Bhawan	Silchair	1700	Completed
Municipal Corporation of Silchar Bhawan	Silchair	300	Completed
Kalinga Institute of Technology	Bubneshwar	1200	Completed
Netaji Subash Institute of Technology	New Delhi	152	Completed
Islamic Center	New Delhi	350	Completed
Rabindra Bhawan-Barasat	Kolkata	900	Completed
Science City	Kolkata	2800	Completed
Kolkata Municipal Corporation	Kolkata	840	In Hand
Gorkha Hill Council Auditorium	Darjeeling	900	In Hand
Girish Manch	Kolkata	825	Completed
Minerva (M/s. Dalal Mukherjee Project)	Kolkata	900	Completed
Nandan	Kolkata	1225	Completed
Swasthya Bhawan-Salt Lake	Kolkata	1600	Completed
IFM	Lucknow	200	Completed
Bharat Natya Academy	Lucknow	225	Completed
Ram Manohar Lohia-Law College	Lucknow	3000	In Hand
Cuttak Municipal Corporation	Cuttak	850	Completed
Gurukul University	Haridwar	524	Completed

* Delhi Region our Authorised Dealer is M/s. NEW AGE ACCOUSTICS (P) Ltd



THANK YOU